

Report No.: HC90051/2020

Page: of 12

September 17, 2020 Date:

VECOW CO., LTD. 3F., NO.10, JIANKANG RD., ZHONGHE DIST., NEW TAIPEI CITY, TAIWAN, R.O.C.

The following merchandise was submitted and identified by the vendor as:

Product Description: ABP-3000

Style/ Item No.: ABP-3000-8665U/No.1

Quantity: Total 1 piece

Sep. 9, 2020 to Sep. 12, 2020 Testing Period:

We have tested the submitted sample(s) as requested and the following results were obtained:

Test Required: (According to client's test specification, please see following sheets in detail.)

1. Low Temperature Test

2. High Temperature Test

3. Mechanical Shock Test

4. Random Vibration Test

<u>Test Results</u>: -PLEASE SEE ATTACHED SHEETS-

> Signed for and on behalf of SGS TAIWAN Ltd.

Hank Chiou Sr. Supervisor

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sus.com.tw/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sus.com/terms-and-Conditions and, for electronic format document is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgey or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: HC90051/2020

Page: of 12

1. Low Temperature Test:

Test Equipment:

Name	Brand	Model	Serial No.
Programmable Temperature & Humidity Chamber	Giant Force	GTH-800-40-CP-AR	MAA2008-014

Lab Environmental Conditions:

 $(25 \pm 3) \,{}^{\circ}\text{C}$ Ambient temperature:

 (55 ± 20) % RH Ambient humidity:

No.33, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New Test Location:

Taipei City, Taiwan

Test Method/ Specification:

Sample condition: Operating (execute "BurnIn Test")

Test Temperature: -40°C **Test Duration:** 16 hours

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen then execute the test program "Burn-In Test" while performing functional check.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: HC90051/2020

Page: 3 of 12

Specimen:

Style/ Item No.: ABP-3000-8665U/ No.1

Quantity: Total 1 piece

Test Result:

Check Item Style/ Item No.	Appearance Check (visual check)	Functional check
ABP-3000-8665U/ No.1	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park With District, New Tainel City, Taiwan

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park With District, New Tainel City, Taiwan



Report No.: HC90051/2020

Page: of 12

2. High Temperature Test:

Test Equipment:

Name	Brand	Model	Serial No.
Programmable Temperature & Humidity Chamber	Giant Force	GTH-800-40-CP-AR	MAA2008-014

Lab Environmental Conditions:

 $(25 \pm 3) \,{}^{\circ}\text{C}$ Ambient temperature:

 (55 ± 20) % RH Ambient humidity:

No.33, Wu Chyuan Road, New Taipei Industrial Park, WuKu District, New Test Location:

Taipei City, Taiwan

Test Method/ Specification:

Sample condition: Operating (execute "BurnIn Test")

Test Temperature: 75°C **Test Duration:** 16 hours

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen then execute the test program "Burn-In Test" while performing functional check.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: HC90051/2020

Page: of 12

Specimen:

Style/ Item No.: ABP-3000-8665U/ No.1

Quantity: Total 1 piece

Test Result:

Check Item Style/ Item No.	Appearance Check (visual check)	Functional check
ABP-3000-8665U/ No.1	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park With District, New Tainel City, Taiwan

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park With District, New Tainel City, Taiwan



Report No.: HC90051/2020

Page: 12 of

3. Mechanical Shock Test:

Test Equipment:

Name Brand		Model Serial	
Shock Test System	LANSMONT	95-115D	M17656
Data Acquisition & Analysis System	LANSMONT	TP4 8A-CH SML 1115-001	1115-001
ICP Accelerometer	PCB	353M288	196437

Lab Environmental Conditions:

Ambient temperature: $(25 \pm 3) \, ^{\circ}\text{C}$ $(55 \pm 20) \% RH$ Ambient humidity:

No. 33, Wu Chyuan Road, New Taipei Industrial Park, WuKu **Test Location:**

District, New Taipei City, Taiwan

Test Method/ Specification:

Test Method: IEC 60068-2-27, Edition 4.0: 2008

Operating (execute "BurnIn Test") Sample condition:

Pulse shape: Half-sine

Acceleration: 50 g Pulse duration: 11 ms

Shock direction: 6 faces ($\pm X$, $\pm Y$, $\pm Z$ axes, see photo 5 ~ 10)

No. of shock: 3 shocks/ axis (total 18 shocks)

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen then examine the test program "BurnIn Test" could work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, which is document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Report No.: HC90051/2020

Page: of 12

Specimen:

Style/ Item No.: ABP-3000-8665U/ No.1

Quantity: Total 1 piece

Test Result:

Check Item Style/ Item No.	Appearance Check (visual check)	Functional check
ABP-3000-8665U/ No.1	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park With District, New Tainel City, Taiwan

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park With District, New Tainel City, Taiwan



Report No.: HC90051/2020

Page: of 12

4. Random Vibration Test:

Test Equipment:

Name	Brand	Model	Serial No.
Vibration Test System	IMV	J260/SA7M	14101899
Controller	IMV	K2	14101899
Control Accelerometer	PCB	353B34	LW228240
Control Accelerometer	PCB	353B34	LW228241

Lab Environmental Conditions:

(25 ± 3) °C Ambient temperature:

Ambient humidity: (55 ± 20) % RH

No. 33, Wu Chyuan Road, New Taipei Industrial Park, WuKu **Test Location:**

District, New Taipei City, Taiwan

Test Method/ Specification:

Test method: IEC 60068-2-64, Edition 2.0: 2008 Operating (execute "BurnIn Test") Sample condition:

Wave form: Random

 $(5 \sim 500) \text{ Hz}$ Frequency:

Frequency (Hz)	Left Slope (dB/Oct.)	PSD (g ² /Hz)	Right Slope (dB/Oct.)
5	_	0.05	0
500	0	0.05	
=> equivalent	t to 5.0 G _{rms}		

Direction: X, Y, Z axes (see photo $11 \sim 13$)

Duration: 30 minutes/axis

- Examine the appearance of specimen(s) by visual check and perform functional check after this test.
- Functional check: Turn on the power of specimen then examine the test program "BurnIn Test" could work normally or not.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com.tw/Terms-and-Conditions and, for electronic Documents at www.sgs.com.tw/Terms-and-Conditions and, for electronic Documents at <a href="https://www.sgs.com.tw/Terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions/terms-and-Conditions for Electronic Documents at www.wgs.com.tw/Terms-and-Conditions and, Conditions for Electronic Documents at <a href="https://www.wgs.com.tw/Terms-and-Conditions/terms-and-Conditions/ unlawful and offenders may be prosecuted to the fullest extent of the law

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan



Report No.: HC90051/2020

Page: of 12

Specimen:

Style/ Item No.: ABP-3000-8665U/ No.1

Quantity: Total 1 piece

Test Result:

Check Item Style/ Item No.	Appearance Check (visual check)	Functional check
ABP-3000-8665U/ No.1	No visible damage	Normal

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions in the imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Pollability Laboratory No. 31 Wit Charatory N



Report No.: HC90051/2020

Page: 10 of 12

Test Photos:




Appearance of specimen






Low/ High Temperature Test

Low/ High Temperature Test





Mechanical Shock Test (+X axis)

Mechanical Shock Test (-X axis)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions in the imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Pollability Laboratory No. 31 Wit Charatory N

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan

可靠度實驗室/新北市五股區新北產業園區五權路 31 號

t (886-2) 2299-3279

www.tw.sgs.com Member of SGS Group



Reliability Laboratory

TEST REPORT

Report No.: HC90051/2020


Page: 11 of 12


Test Photos--Continued:






Mechanical Shock Test (+Y axis)







Mechanical Shock Test (+Z axis)

10. Mechanical Shock Test (-Z axis)





Random Vibration Test: X axis

12. Random Vibration Test: Y axis

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/en/terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions for Electronic Documents at www.sgs.com/en/terms-and-Conditions in the imitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Pollability Laboratory No. 31 Wit Charatory N

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan




Report No.: HC90051/2020

Page: 12 of 12

Test Photos--Continued:



Random Vibration Test: Z axis



14. Functional check

The End of Test Report

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. This test report cannot be reproduced, except in full, without prior written permission of the Company. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留 90 天。本報告未經本公司書面許可,不可部份複製。 This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/w/Terms-and-Conditions and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/en/terms-and-conditions/terms-e-document. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park With District, New Tainel City, Taiwan

**Polishibity Laboratory/No 31 Wit Churan Pond New Tainel Industrial Park With District, New Tainel City, Taiwan

Reliability Laboratory/ No.31, Wu Chyuan Road, New Taipei Industrial Park, Wuku District, New Taipei City, Taiwan 可靠度實驗室/ 新北市五股區新北產業園區五權路 31 號